

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24909

Stream : Junk Ditch

Applicant : Fort Wayne Parks & Recreation
Steve Schuhmacher
1900 North Clinton Street
Fort Wayne, IN 46805-4049

Description : Approximately 26 total parking spaces will be added to the existing parking lot in Rockhill Park for access to the existing playground, pavilion, and trailhead to the Tow-path Trail. Ten parking spaces will be added along the northwest area of the existing drive and 16 parking spaces will be added as part of a new connecting parking area to the south. The existing stone parking lot to the south will be removed. The new parking areas will be constructed of asphalt. The existing stone parking entrance drive will be graded, compacted, and overlaid with new asphalt paving. Storm drainage improvements will be completed as well. Details of the project are contained in information and plans received at the Division of Water on July 2, 2008.

Location : Beginning approximately 1400' north of the Catalpa Street and Taylor Street intersection, extending 400' north and 400' west
at Fort Wayne, Wayne Township, Allen County
SE¼, NW¼, NE¼, Section 9, T 30N, R 12E, Fort Wayne West Quadrangle
Quad Code: 4108512
UTM Coordinates: Downstream 4548327 North, 653140 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24921

Stream : Junk Ditch

Applicant : City of Fort Wayne
Dawn Ritchie
1 East Main Street, Room 280
Fort Wayne, IN 46802-1804

Description : A 10' wide recreational trail will be constructed along Portage Boulevard from Ardmore Avenue extending into Rockhill Park just east of Freeman Street for a total of approximately 3600'. The trail will require some fill. A trailhead will also be constructed in the southwest corner of the Taylor Road and Portage Boulevard intersection. Details of the project are contained in information and plans received at the Division of Water on July 10, 2008.

Location : Beginning approximately 300' northeast of the Portage Boulevard and Ardmore Avenue intersection and extending 3600' northeast along Portage Boulevard and then 450' east and 200' northeast and also 550' north and 300' northeast at Fort Wayne, Wayne Township, Allen County
Section 9, T 30N, R 12E, Fort Wayne West Quadrangle
Quad Code: 4108512
UTM Coordinates: Downstream 4548001 North, 652510 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24927

Stream : St. Joseph River

Applicant : Vince Lisi
29934 Riviera Drive
Elkhart, IN 46514-9420

Description : An existing wood seawall will be removed and a new steel sheet piling seawall along 100' of the river's north (right) bank will be constructed. The steel sheet piling will be driven approximately 7' into the riverbed and extend approximately 36" above the riverbed to the top of the steel sheet piling. The retaining wall will be tied to the shoreline by placing deadmen every 9'. The area landward of the proposed wall will be backfilled with a sand/gravel mix. The piling will be capped with 4" angle iron. Details of the project are contained in information and plans received at the Division of Water on July 22, 2008.

Location : 29934 Riviera Drive; Approximately 1800' south of the Riviera Drive and US 20 near Elkhart, Cleveland Township, Elkhart County
NW¼, SW¼, SW¼, Section 2, T 37N, R 4E, Osceola Quadrangle
Quad Code: 4108661
UTM Coordinates: Downstream 4615113 North, 579810 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-24929

Stream : Lost Creek

Applicant : Thomas J Wetnight
4401 US Highway 41 North
PO Box 5197
Terre Haute, IN 47805-5197

Description : Fill has been placed in an area approximately 1000' by 225'. Specific project information will be added to the description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of Water on July 23, 2008.

Location : Approximately 850' South of Haythorne Avenue, just east of US 41 near Terre Haute, Harrison Township, Vigo County
SW¼, NW¼, NW¼, Section 3, T 12N, R 9W, New Goshen Quadrangle
Quad Code: 3908754
UTM Coordinates: Downstream 4374365 North, 465113 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24930

Stream : Kintzele Ditch

Applicant : Michigan City Area Schools
Dave Williamson
408 South Carroll Avenue
Michigan City, IN 46360-5302

Description : A 6" diameter sewer line and a 12" diameter water line will be placed beneath Kintzele Ditch. The bore pits will be located an adequate distance from the ditch centerline and will be restored to its predisturbed ground contours following construction is proposed. Specific project information will be added to the description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of Water on July 25, 2008.

Location : Beginning approximately 2600' east extending west approximately 2600' and south approximately 2300' of the US Highway 20 and the County Line Road intersection near Michigan City, Coolspring Township, LaPorte County
S½, SW¼, Section 6, T 37N, R 4W, Michigan City West Quadrangle
Quad Code: 4108668
UTM Coordinates: Downstream 4614616 North, 505982 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24932

Stream : Unnamed Tributary Deer Creek

Applicant : Mike Rink
7038 East 107th Court
Crown Point, IN 46307-7619

Description : Approximately 215' of C-L 4500 vinyl Sheet piling seawall is proposed and driven into the lakebed approximately 2.5' with 4' above the lakebed. Also there will be 25' of riprap for a total of a 240' seawall. Specific project information will be added to the description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of Water on July 25, 2008 and July 28, 2008.

Location : 7038 East 107th Court; approximatley 1700 north and 200' west of the East 107th Court and the East 109th Avenue intersection near Winfield, Lake County

UTM Coordinates: Downstream 4585959 North, 479079 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24934

Stream : White Lick Creek

Applicant : Town of Brownsburg
Kathy Dillon
61 North Green Street
Brownsburg, IN 46112-1249

Description : A combined sewage overflow storage facility tank will be constructed to store excess flows from the north and south swirl concentrators during wet weather. Additionally, new sewer lines will be constructed from the concentrators to the new facility. Also, an existing 48" outfall will be removed and replaced with a 96". Areas of the stream bank disturbed by the outfall will be restored to original shape and protected with riprap. Upon completion of the storage tank and outfall the project area will be regraded to ensure proper drainage. Details of the project are contained in information and plans received at the Division of Water on July 29, 2008.

Location : Approximately 960' downstream of the US 136 (Main Street) stream crossing and extending approximately 450' east and 550' south
near Brownsburg, Lincoln Township, Hendricks County
NW¼, SW¼, Section 11, T 16N, R 1E, Brownsburg Quadrangle
Quad Code: 3908674
UTM Coordinates: Downstream 4410270 North, 551180 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24935

Stream : Graham McCulloch Ditch

Applicant : Allen County Highway Department
Mike Thornson
1 West Superior Street, Room 211
Fort Wayne, IN 46802-1299

Description : A _recreational trailhead_ is proposed. Specific project information will be added to the description as the application is further reviewed.
Details of the project are contained in information and plans received at the Division of Water on July 29, 2008.

Location : Located east of the Graham-McCulloch Ditch, south of Engle Rd & NW of an unnamed gravel road, the Towpath Trailhead site is on the SW side near Fort Wayne, Aboite Township, Allen County
NE¼, Section 24, T 30N, R 11E, Fort Wayne West Quadrangle
Quad Code: 4108512
UTM Coordinates: Downstream 4544920 North, 648609 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24936

Stream : Big Monon Ditch

Applicant : Big Monon Drainage Board
Joyce Weaver
112 East Main Street
Winamac, IN 46996-1392

Description : Approximately 2200' of the ditch's eroded left bank will be stabilized by excavating and filling in the floodway, it will be protected by rip rap over a geo-textile fabric. Details of the project are contained in information and plans received at the Division of Water on July 29, 2008.

Location : Along the left bank; Approximately 1600' south of the S 1000 W and W 1000 S intersection

near Buffalo, Monon Township, White County
NE¼, SE¼, NE¼, Section 6, T 28N, R 3E, Monon NE Quadrangle
Quad Code: 4008687
UTM Coordinates: Downstream 4528539 North, 517215 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24941

Stream : Elkhart River

Applicant : Goshen Community Bank
Doug Johnston
105 Chicago Avenue
Goshen, IN 46526-2310

Description : A building will be removed in order to install a stormwater retention pond, greenspace and a parking lot with asphalt. The space is being developed to add additional parking for Goshen Community Bank and improve the visual appeal of downtown Goshen. Details of the project are contained in information and plans received at the Division of Water on August 5, 2008.

Location : Beginning approximately 85' north of the Chicago Avenue and West Lincoln avenue intersection and extending approximately 135' north and 175' west

near Goshen, Elkhart Township, Elkhart County
NW¼, NE¼, SW¼, Section 9, T 36N, R 6E, Goshen Quadrangle
Quad Code: 4108557
UTM Coordinates: Downstream 4604561 North, 596447 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24943

Stream : Buck Creek

Applicant : Charles McCurdy
8587 North County Road 850 West
Fairland, IN 46126

Description : Levee repair is proposed at four different location on an existing agricultural levee along the left (east) bank of Buck Creek. The areas of the levee needing repair will be built to pre-existing conditions. The fill that will be used will be from the Marland Road Gravel Pit. Details of the project are contained in information and plans received at the Division of Water on August 5, 2008.

Location : Along the left bank (east bank) approximately 625' to 1,725' downstream of the Interstate Route 74 stream crossing
DOWNSTREAM: near Pleasant View, Franklin Township, Marion County
W½, NW¼, SE¼, Section 10, T 14N, R 5E, Acton Quadrangle
Quad Code: 3908568
UTM Coordinates: Downstream 4391835 North, 589151 East
UPSTREAM:
UTM Coordinates: Upstream 4392156 North, 589136 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24950

Stream : Lost Creek

Applicant : City of Terre Haute
Larry Robbins
17 Harding Street
Terre Haute, IN 47807-3427

Description : A new bridge will be constructed to carry Brown Boulevard across the stream. The new structure will be a 3-span continuous reinforced concrete slab bridge with span lengths of 31', 38', and 31'. The structure will have an out-to-out length of 101' - 6". The spill through abutments will have 2:1 sideslopes armored with revetment riprap over geotextiles. The approach roads will be elevated a maximum of 4' above the existing grade. Details of the project are contained in information and plans received at the Division of Water on August 12, 2008 and August 19, 2008.

Location : Approximately 500' upstream of the Maple Avenue stream crossing, at the old railroad grade stream crossing
near Terre Haute, Harrison Township, Vigo County
NE¼, NE¼, NE¼, Section 13, T 12N, R 9W, Seelyville Quadrangle
Quad Code: 3908743
UTM Coordinates: Downstream 4371420 North, 468189 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24953

Stream : Main Beaver Dam Ditch

Applicant : City of Crown Point
Jennie Burgess
101 N. East Street
Crown Point, IN 46307

Description : This project was previously approved under application numbers FW-22397 and FW-23975. A new bridge will be constructed over Main Beaver Dam Ditch to carry a trail across the stream. The new structure will be a single-span prefabricated truss bridge with span length of 65'. The structure will have an out-to-out length of 66' and a clear roadway width of 10'. The spill through abutments will have 2:1 sideslopes armored with revetment riprap. The abutments will not be skewed. The approach roads will be elevated a maximum of 1.45' above the existing grade. The project is federally funded. Details of the project are contained in information received electronically at the Division of Water on August 14, 2008 and in plans and information received at the Division of Water on

Location : This project is located at the intersection of the proposed alignment of the Erie-Lackawanna Trail with Main Beaver Dam Ditch approximately 0.7 miles south of the intersection of Chase Street with 93rd Avenue at Crown Point, Center Township, Lake County Section 31, T 35N, R 8W, Crown Point Quadrangle Quad Code: 4108743

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24955

Stream : Martindale Creek

Applicant : Cardinal Greenway
Philip Tevis
700 East Wysor Street
Richmond, IN 47305-1916

Description : As a part of building the Cardinal Greenway, a priority state visionary trail, from Losantville to Richmond, an existing railway bridge located in the floodway must be replaced. Currently this bridge has several support beams located in the channel that block woody debris, causing major log jams. The aim of this project is to remove the existing bridge spanning Martindale Creek and replace it with a single, clear span bridge. This will include removal of the existing span structure using a one-step method. The supporting beams will be removed as well. Material will be lifted out of the channel and placed above the top of bank adjacent to the project site. Removal will be done using an excavator equipped with a hydraulic thumb. The supports will be pulled out of the channel or barring that, the timbers will be broken or sawed off at the bottom of the channel. No digging in the channel of the stream will occur. The bridge will be replaced with a single, clear span bridge spanning 151'. The bridge will be placed upon new concrete abutments located on the rail road embankment. No landform changes will occur. The intent is to remove the beams located in the floodway to reduce hydrologic friction and reduce the potential for woody debris accumulation. This project is funded by a DNR Trail Grant (EDS# E10-8-S011). Details of the project are contained in information received electronically at the Division of Water on August 18, 2008 and in plans and information received at the Division of Water on

Location : At the old CSX Railway creek crossing
near Economy, Perry Township, Wayne County
Section 29, T 18N, R 13E, Greens Fork Quadrangle
Quad Code: 3908581

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24956

Stream : Wabash River

Applicant : Duke Energy
William B Taylor
1000 East Main Street
Plainfield, IN 46168-1782

Description : Duke Energy wishes to construct a borrow area approximately 10 acres in size to obtain soils for cover. The site will be constructed at the Cayuga Generation Station and will not impact any wetlands or forested areas. The borrow will be built in a rectangular fashion and is expected to average 4-5 foot in depth depending on soil/clay availability. The land intended for use is currently row crop agricultural fields owned by Duke Energy near the Wabash river mile 249. Details of the project are contained in information received electronically at the Division of Water on August 19, 2008 and in plans and information received at the Division of Water on

Location : At the Cayuga Generation Station along the western bank of the Wabash River near Cayuga, Vermillion Township, Vermillion County
NW¼, Section 14, T 17N, R 9W, Newport Quadrangle
Quad Code: 3908784

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-24958
- Stream : West Fork White River
- Applicant : Madison County Drainage Board
Brad Newman
Surveyor's Office
16 East 9th Street
Anderson, IN 46016-1598
- Description : The project is located near the intersection of State Road 13 and Strawtown Avenue. Construction will begin east of State Road 13 and continue along the open ditch to Strawtown Avenue. There is approximately 300' of existing ditch north of Strawtown Avenue that will be reconstructed. The existing ditch to the west will be abandoned. A new ditch will be excavated that extends directly north to the West Fork White River. The majority of the new ditch construction is in the floodway. The new ditch is approximately 1000' and will vary in depth from 2-3'. The bottom width of the ditch is approximately 6' with 3:1 side slope. Spoils will be spread in the overbank and seeded using NRCS filter strip standards. Details of the project are contained in information received electronically at the Division of Water on August 19, 2008 and in plans and information received at the Division of Water on
- Location : The project is located near the State Road 13 and Stawtown Avenue intersection. Approximately ¼ mile south of the intersection and approximate 1000' west of State Road 13. The open ditch portion of the Lincoln-Smith Regulated Drain begins ¼ mile south of State Road 13 and Strawtown Avenue intersection on the west side of State Road 13. The ditch continues west, turns north, and runs under Strawtown Avenue about ¼ mile west of the State Road 13 and Strawtown Avenue intersection
near Perkinsville, White River Township, Hamilton County
Section 32, T 20N, R 7E, Frankton Quadrangle
Quad Code: 4008527
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24959

Stream : White Lick Creek

Applicant : Town of Plainfield
Clay Chafin
206 West Main Street
Plainfield, IN 46168-1134

Description : A 20,500 square foot area will be filled in the west floodway of White Lick Creek for the Plainfield Youth Athletic Complex (PYAC). The fill will vary in depth from 1.0' to 3.0'. It will be set 50' back from the top of the bank and will have maximum 5:1 sideslopes. The finished elevation of the fill will be 723.2', NGVD. Youth athletic fields will be constructed on top of the completed fill. The fill material will be obtained from onsite sources outside the floodway. Details of the project are contained in information received electronically at the Division of Water on August 19, 2008 and in plans and information received at the Division of Water on

Location : The project is located on the south side of U.S. 40 just west of the White Lick Creek stream crossing at 501 West Main Street at Plainfield, Guilford Township, Hendricks County Section 34, T 15N, R 1E, Plainfield Quadrangle Quad Code: 3908664

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-24961
- Stream : Hurricane Creek
- Applicant : Nathan V Blackwell
1465 North 400 East
Franklin, IN 46131-8884
- Description : The installation of an in-ground pool 14' x 28'. Pool to include an automatic cover and 48" of concrete around edge. Proposed pool to maximum of 5' 6" deep and to be constructed with the finished edge no lower than 738.70'. The current elevation of the proposed site is 738'. On March 18, 2008 I received a letter from DNR with the BFE/100 year flood elevation at 733.6' (NAVD88) (FILE GN-22691) Details of the project are contained in information received electronically at the Division of Water on August 20, 2008 and in plans and information received at the Division of Water on
- Location : 1465 North 400 East; approximately 315' north and 245 east of the county road 400 East and Old Railroad Grade intersection
near Franklin, Needham Township, Johnson County
Section 7, T 12N, R 5E, Greenwood Quadrangle
Quad Code: 3908651
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10
- Application # : PL-21121
- Lake : Big Chapman Lake
- Applicant : Stanton J Frantz
209 South Main Street
South Whitley, IN 46787-1438
- Description : A 50' by 30' underwater beach will be constructed across 50' of the applicant's 50' frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water on July 31, 2008.
- Location : 10 EMS C17A Lane; Lot 2 of Roangle's Eastern Addition to Arrowhead Park
near Warsaw, Plain Township, Kosciusko County
NW¼, SW¼, SW¼, Section 25, T 33N, R 6E, Leesburg Quadrangle
Quad Code: 4108537
UTM Coordinates: Downstream 4570765 North, 601832 East
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21123

Lake : Loomis Lake

Applicant : Mark Freeman
5101 Garden Gateway
Valparaiso, IN 46383-1402

Description : An existing timber seawall will be refaced across 57' of the applicant's frontage. The reface layer will consist of vinyl sheet piling installed a maximum of 6" lakeward of the toe of the existing seawall. Details of the project are contained in information and plans received at the Division of Water on August 4, 2008, August 18, 2008 and August 20, 2008.

Location : 5101 Garden Gateway
near Valparaiso, Center Township, Porter County
SW $\frac{1}{4}$, SW $\frac{1}{4}$, NE $\frac{1}{4}$, Section 1, T 35N, R 6W, Chesterton Quadrangle
Quad Code: 4108751
UTM Coordinates: Downstream 4595793 North, 495422 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21124

Lake : Loomis Lake

Applicant : Rolando Chilian
5105 Garden Gateway
Valparaiso, IN 46383-1402

Description : An existing timber seawall will be refaced across 90' of the applicant's frontage. The reface layer will consist of galvanized steel sheet piling installed a maximum of 6" lakeward of the toe of the existing seawall. Details of the project are contained in information and plans received at the Division of Water on August 4, 2008 and August 18, 2008.

Location : 5105 Garden Gateway
near Valparaiso, Center Township, Porter County
SE $\frac{1}{4}$, NW $\frac{1}{4}$, SW $\frac{1}{4}$, Section 1, T 36N, R 6W, Chesterton Quadrangle
Quad Code: 4108751
UTM Coordinates: Downstream 4595831 North, 495430 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21126

Lake : Jimmerson Lake

Applicant : Hugh Close
255 Lane 340 A Jimmerson Lake
Fremont, IN 46737-9336

Description : An existing 850' by 40' channel will be dredged. Approximately 1' to 3' of accumulated muck and debris will be removed from the channel bed by dredging to a maximum depth of 4' to 6' below the lake's legal level. The excavated material will be transported to an upland containment area for dewatering and disposal. Details of the project are contained in information and plans received at the Division of Water on August 7, 2008.

Location : Beginning approximately 1, 195' west and 1,230' south of the West Nevada Mills Road and Fire Lane Road intersection and continuing 850' south and 40' west
DOWNSTREAM: near Angola, Jamestown Township, Steuben County
W½, E½, NW¼, Section 32, T 38N, R 13E, Angola West Quadrangle
Quad Code: 4108561
UTM Coordinates: Downstream 4619334 North, 661218 East
UPSTREAM:
UTM Coordinates: Upstream 4619589 North, 661207 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21127

Lake : Big Turkey Lake

Applicant : Mark F Hoff
7504 Scarlet Court
Fort Wayne, IN 46815-8761

Description : An approximate 31,902 square feet area will be restored to its original condition by removing a maximum of 2.9' of debris from the lakebed. The dredging will be performed by a floating hydraulic dredge. The excavated material will be transported to an upland detention area where it will be dewatered before being transported to an offsite disposal area. Adequate detention time will be provided to allow suspended sediments to settle out of the decanted water before returning the water to the stream. Details of the project are contained in information and plans received at the Division of Water on August 8, 2008.

Location : Beginning approximately 215' south and 1,310' east of the East 395 South and South 1,175 East intersection extending 485' east and 305' north
DOWNSTREAM: near Stroh, Milford Township, LaGrange County
SE¼, SE¼, SE¼, Section 12, T 36N, R 11E, Stroh Quadrangle
Quad Code: 4108552
UTM Coordinates: Downstream 4605267 North, 650470 East
UPSTREAM: at Stroh, Salem Township, Steuben County
SE¼, SW¼, SW¼, Section 7, T 36N, R 12E, Stroh Quadrangle
Quad Code: 4108552
UTM Coordinates: Upstream 4605350 North, 650612 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21129

Lake : Crooked Lake

Applicant : Jerry D and Dorthy A Fickle
9512 Sweetwater Court
New Haven, IN 46774-2712

Description : A concrete seawall will be refaced with a layer of concrete across 35' of the applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on August 8, 2008.

Location : 140 Lane 305A; Lot 10 of West Bay Colony
near Angola, Pleasant Township, Steuben County
NW¼, SW¼, SW¼, Section 8, T 37N, R 13E, Angola West Quadrangle
Quad Code: 4108561
UTM Coordinates: Downstream 4615362 North, 660945 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21130

Lake : Webster Lake

Applicant : James & Peggy Roby
4285 East 1000 North
Alexandria, IN 46001-8281

Description : A concrete seawall will be refaced with a layer of concrete across 160' of the applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on August 11, 2008.

Location : 419 East South Street; Lot 19 of El Ray Park
at North Webster, Tippecanoe Township, Kosciusko County
SE¼, SE¼, SE¼, Section 10, T 33N, R 7E, North Webster Quadrangle
Quad Code: 4108536
UTM Coordinates: Downstream 4575663 North, 609358 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21133

Lake : Lake Wawasee

Applicant : Kelley Fidler
3001 South Atlantic Avenue #303
New Sahura, NC 32179

Description : A concrete seawall will be refaced with a layer of concrete across 50' of the applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on August 13, 2008 and August 20, 2008.

Location : 11038 North State Road 13; Lot 13 of Ketring and Blanchard Ideal Beach Addition
near Syracuse, Turkey Creek Township, Kosciusko County
SW $\frac{1}{4}$, SW $\frac{1}{4}$, SW $\frac{1}{4}$, Section 15, T 34N, R 7E, Lake Wawasee Quadrangle
Quad Code: 4108546
UTM Coordinates: Downstream 4583371 North, 607800 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21134

Lake : Tippecanoe Lake

Applicant : Bill Aust
3434 North 60th Street
Phoenix, AZ 85018-6702

Description : A concrete seawall will be refaced with a layer of concrete across 40' of the applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on August 13, 2008 and August 20, 2008.

Location : 6695 Kalorama; Lot 15 of Kalorama Park's First Addition
near North Webster, Tippecanoe Township, Kosciusko County
NW $\frac{1}{4}$, SE $\frac{1}{4}$, NW $\frac{1}{4}$, Section 7, T 33N, R 7E, Leesburg Quadrangle
Quad Code: 4108537
UTM Coordinates: Downstream 4576298 North, 603707 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : PL-21135
- Lake : Tippecanoe Lake
- Applicant : Keyth Price
10294 North 100 East
Ossian, IN 46771-9349
- Description : A new concrete seawall will be constructed across 60' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on August 13, 2008 and August 20, 2008.
- Location : 87 EMS T16 Lane; Lot 11 of Popenfoose Neibert Park
near North Webster, Tippecanoe Township, Kosciusko County
NE¼, NW¼, SE¼, Section 18, T 33N, R 7E, Leesburg Quadrangle
Quad Code: 4108537
UTM Coordinates: Downstream 4574417 North, 604291 East
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11
- Application # : PL-21140
- Lake : Lake George
- Applicant : James C Humbarger
420 Lane 130 Lake George
Fremont, IN 46737
- Description : An existing 24' seawall will be refaced across a portion of the 55' frontage of the applicant on Lake George to prevent deterioration. The refacing will consist of concrete which will be tied to the existing wall with 5/8 rebar. The refacing will have a maximum thickness of 18" and will be sloped on the lakeward side. A 12" wide layer of rock will be placed at the base of the wall for toe protection. Details of the project are contained in information received electronically at the Division of Water on August 15, 2008 and in plans and information received at the Division of Water on
- Location : Lot 1 Jones Addition to the Villiage of Sprin Bank
At Fremont, Jamestown Township, Steuben County
Section 14, T 38N, R 13E
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11